

- (b) The baseball reaches its highest point when the vertical component of velocity is zero, or

$$\frac{dy}{dt} = 152 \sin 20^\circ - 32t = 0.$$

Solving for  $t$  we find

$$t = \frac{152 \sin 20^\circ}{32} \approx 1.62 \text{ sec.}$$

Substituting this time into the vertical component for  $r$  gives the maximum height

$$\begin{aligned} y_{\max} &= 3 + (152 \sin 20^\circ)(1.62) - 16(1.62)^2 \\ &\approx 45.2 \text{ ft.} \end{aligned}$$

That is, the maximum height of the baseball is about 45.2 ft, reached about 1.6 sec after leaving the bat.

- (c) To find when the baseball lands, we set the vertical component for  $r$  equal to 0 and solve for  $t$ :

$$3 + (152 \sin 20^\circ)t - 16t^2 = 0$$

$$3 + (51.99)t - 16t^2 = 0.$$

The solution values are about  $t = 3.3$  sec and  $t = -0.06$  sec. Substituting the positive time into the horizontal component for  $r$ , we find the range

$$R = (152 \cos 20^\circ - 8.8)(3.3)$$

$$\approx 442 \text{ ft.}$$

Thus, the horizontal range is about 442 ft, and the flight time is about 3.3 sec. ■

In Exercises 29 through 31, we consider projectile motion when there is air resistance slowing down the flight.


Projectile flights in the following exercises are to be treated as ideal unless stated otherwise. All launch angles are assumed to be measured from the horizontal. All projectiles are assumed to be launched from the origin over a horizontal surface unless stated otherwise.

- Travel time** A projectile is fired at a speed of 840 m/sec at an angle of  $60^\circ$ . How long will it take to get 21 km downrange?
- Finding muzzle speed** Find the muzzle speed of a gun whose maximum range is 24.5 km.
- Flight time and height** A projectile is fired with an initial speed of 500 m/sec at an angle of elevation of  $45^\circ$ .
  - When and how far away will the projectile strike?


- How high overhead will the projectile be when it is 5 km downrange?

- What is the greatest height reached by the projectile?

- Throwing a baseball** A baseball is thrown from the stands 32 ft above the field at an angle of  $30^\circ$  up from the horizontal. When and how far away will the ball strike the ground if its initial speed is 32 ft/sec?
- Shot put** An athlete puts a 16-lb shot at an angle of  $45^\circ$  to the horizontal from 6.5 ft above the ground at an initial speed of 44 ft/sec as suggested in the accompanying figure. How long after launch and how far from the inner edge of the stopboard does the shot land?




elevated 45 ft above the tee as shown in the diagram. Assuming the pin, 369 ft downrange, does not get in the way, where will the ball land in relation to the pin?



6. (Continuation of Exercise 5.) Because of its initial elevation, the shot in Exercise 5 would have gone slightly farther if it had been launched at a  $40^\circ$  angle. How much farther? Answer in inches.
7. **Firing golf balls** A spring gun at ground level fires a golf ball at an angle of  $45^\circ$ . The ball lands 10 m away.
  - a. What was the ball's initial speed?
  - b. For the same initial speed, find the two firing angles that make the range 6 m.
8. **Beaming electrons** An electron in a TV tube is beamed horizontally at a speed of  $5 \times 10^6$  m/sec toward the face of the tube 40 cm away. About how far will the electron drop before it hits?
9. **Finding golf ball speed** Laboratory tests designed to find how far golf balls of different hardness go when hit with a driver showed that a 100-compression ball hit with a club-head speed of 100 mph at a launch angle of  $9^\circ$  carried 248.8 yd. What was the launch speed of the ball? (It was more than 100 mph. At the same time the club head was moving forward, the compressed ball was kicking away from the club face, adding to the ball's forward speed.)
10. A *human cannonball* is to be fired with an initial speed of  $v_0 = 80\sqrt{10}/3$  ft/sec. The circus performer (of the right caliber, naturally) hopes to land on a special cushion located 200 ft downrange at the same height as the muzzle of the cannon. The circus is being held in a large room with a flat ceiling 75 ft higher than the muzzle. Can the performer be fired to the cushion without striking the ceiling? If so, what should the cannon's angle of elevation be?
11. A golf ball leaves the ground at a  $30^\circ$  angle at a speed of 90 ft/sec. Will it clear the top of a 30-ft tree that is in the way, 135 ft down the fairway? Explain.
12. **Elevated green** A golf ball is hit with an initial speed of 116 ft/sec at an angle of elevation of  $45^\circ$  from the tee to a green that is

13. **The Green Monster** A baseball hit by a Boston Red Sox player at a  $20^\circ$  angle from 3 ft above the ground just cleared the left end of the "Green Monster," the left-field wall in Fenway Park. The wall is 37 ft high and 315 ft from home plate (see the accompanying figure).
  - a. What was the initial speed of the ball?
  - b. How long did it take the ball to reach the wall?



14. **Equal-range firing angles** Show that a projectile fired at an angle of  $\alpha$  degrees,  $0 < \alpha < 90$ , has the same range as a projectile fired at the same speed at an angle of  $(90 - \alpha)$  degrees. (In models that take air resistance into account, this symmetry is lost.)
15. **Equal-range firing angles** What two angles of elevation will enable a projectile to reach a target 16 km downrange on the same level as the gun if the projectile's initial speed is 400 m/sec?
16. **Range and height versus speed**
  - a. Show that doubling a projectile's initial speed at a given launch angle multiplies its range by 4.
  - b. By about what percentage should you increase the initial speed to double the height and range?
17. **Shot put** In Moscow in 1987, Natalya Lisouskaya set a women's world record by putting an 8 lb 13 oz shot 73 ft 10 in. Assuming that she launched the shot at a  $40^\circ$  angle to the horizontal from 6.5 ft above the ground, what was the shot's initial speed?

18. **Height versus time** Show that a projectile attains three-quarters of its maximum height in half the time it takes to reach the maximum height.

19. **Firing from  $(x_0, y_0)$**  Derive the equations

$$x = x_0 + (v_0 \cos \alpha)t,$$

$$y = y_0 + (v_0 \sin \alpha)t - \frac{1}{2}gt^2,$$

(see Equation (5) in the text) by solving the following initial value problem for a vector  $\mathbf{r}$  in the plane.

Differential equation:  $\frac{d^2\mathbf{r}}{dt^2} = -g\mathbf{j}$

Initial conditions:  $\mathbf{r}(0) = x_0\mathbf{i} + y_0\mathbf{j}$


$$\frac{d\mathbf{r}}{dt}(0) = (v_0 \cos \alpha)\mathbf{i} + (v_0 \sin \alpha)\mathbf{j}$$

20. **Flaming arrow** Using the firing angle found in Example 3, find the speed at which the flaming arrow left Rebollo's bow. See Figure 13.13.

21. **Flaming arrow** The cauldron in Example 3 is 12 ft in diameter. Using Equation (5) and Example 3c, find how long it takes the flaming arrow to cover the horizontal distance to the rim. How high is the arrow at this time?


22. Describe the path of a projectile given by Equations (4) when  $\alpha = 90^\circ$ .

23. **Model train** The accompanying multiframe photograph shows a model train engine moving at a constant speed on a straight horizontal track. As the engine moved along, a marble was fired into the air by a spring in the engine's smokestack. The marble, which continued to move with the same forward speed as the engine, rejoined the engine 1 sec after it was fired. Measure the angle the marble's path made with the horizontal and use the information to find how high the marble went and how fast the engine was moving.



24. **Colliding marbles** The figure shows an experiment with two marbles. Marble  $A$  was launched toward marble  $B$  with launch angle  $\alpha$  and initial speed  $v_0$ . At the same instant, marble  $B$  was released to fall from rest at  $R \tan \alpha$  units directly above a spot  $R$  units downrange from  $A$ . The marbles were found to collide


regardless of the value of  $v_0$ . Was this mere coincidence, or must this happen? Give reasons for your answer.



25. **Launching downhill** An ideal projectile is launched straight down an inclined plane as shown in the accompanying figure.

a. Show that the greatest downhill range is achieved when the initial velocity vector bisects angle  $AOR$ .

b. If the projectile were fired uphill instead of down, what launch angle would maximize its range? Give reasons for your answer.



26. **Hitting a baseball under a wind gust** A baseball is hit when it is 2.5 ft above the ground. It leaves the bat with an initial velocity of 145 ft/sec at a launch angle of  $23^\circ$ . At the instant the ball is hit, an instantaneous gust of wind blows against the ball, adding a component of  $-14\mathbf{i}$  (ft/sec) to the ball's initial velocity. A 15-ft-high fence lies 300 ft from home plate in the direction of the flight.

a. Find a vector equation for the path of the baseball.

b. How high does the baseball go, and when does it reach maximum height?

c. Find the range and flight time of the baseball, assuming that the ball is not caught.

d. When is the baseball 20 ft high? How far (ground distance) is the baseball from home plate at that height?

e. Has the batter hit a home run? Explain.

27. **Volleyball** A volleyball is hit when it is 4 ft above the ground and 12 ft from a 6-ft-high net. It leaves the point of impact with an initial velocity of 35 ft/sec at an angle of  $27^\circ$  and slips by the opposing team untouched.